# JACKSON COUNTY CLIMATE SUMMARY

## AVERAGES

| TEMPERATURE (°F) |      |      |      |       |      |      |      |      |      |      |      |      |      |
|------------------|------|------|------|-------|------|------|------|------|------|------|------|------|------|
|                  | JAN  | FEB  | MAR  | APR   | MAY  | JUN  | JUL  | AUG  | SEP  | ОСТ  | NOV  | DEC  | ANN  |
| DAILY<br>AVG     | 39.4 | 43.1 | 52.2 | 601.1 | 70.9 | 80.2 | 84.1 | 82.8 | 74.8 | 62.5 | 50.7 | 40.9 | 61.9 |
| DAILY<br>MIN     | 25.1 | 28.6 | 37.7 | 46.2  | 57.6 | 67.7 | 71.0 | 69.9 | 61.8 | 48.5 | 37.0 | 27.6 | 48.2 |
| DAILY<br>MAX     | 53.6 | 57.6 | 66.6 | 75.9  | 84.1 | 92.8 | 97.2 | 95.8 | 87.9 | 76.4 | 64.5 | 54.1 | 75.5 |

Annual number of days max temperature is greater than 90°F: 100 Annual number of days max temperature is greater than 100°F: 28 Annual number of days max temperature is less than 32°F: 4 Annual number of days min temperature is less than 32°F: 86 Annual number of heating degree days (HDD): 3351 Annual number of cooling degree days (CDD): 2250 Annual length of growing season: 210 days Date of first fall freeze: November 2 Date of last spring freeze: April 5

| PRECIPITATION                  |      |      |      |      |      |      |      |      |      |      |      |      |       |
|--------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
|                                | JAN  | FEB  | MAR  | APR  | MAY  | JUN  | JUL  | AUG  | SEP  | ост  | NOV  | DEC  | ANN   |
| AMOUNT<br>(in.)                | 1.15 | 1.09 | 1.71 | 2.36 | 4.07 | 3.88 | 2.43 | 2.96 | 2.56 | 2.69 | 1.40 | 1.31 | 27.61 |
| NUMBER<br>OF DAYS<br>WITH RAIN | 5.3  | 5.3  | 6.0  | 5.8  | 8.1  | 8.0  | 5.8  | 6.4  | 6.1  | 6.7  | 5.4  | 4.9  | 73.8  |

Annual snowfall (1981-2010): 3.1 in. Annual percent sunshine (2006-2020): 72% Annual number of thunderstorm days (1901-1995): 43 Annual number of hail (>1 in.) days (1986-2015): 5+ Annual number of tornadoes (1950-2021): 1.04 Total number of tornadoes (1950-2021): 75

#### Notes:

Average first and last freeze dates are based on the 50th probability percentile.
Unless noted, averages/normals are based on the 1991-2020 period.





# RECORDS & EXTREMES

Record high temperature: 120°F (August 12, 1936) Record low temperature: -11°F (January 5, 1947) Earliest freeze date: October 19 Latest freeze date: April 21 Wettest year: 49.30 in. (1941) Driest year: 10.42 in. (1970) Greatest daily rainfall: 7.1 in. (October 20, 1983) Greatest seasonal snowfall (Sep - Apr): 19.8 in. (1972-1973) Greatest daily snowfall: 10.5 in. (December 23, 1918)

Note: Extreme earliest and latest freeze dates are based on the 10th probability percentile.


HOLIDAY STATS

|                                 | AVG MAX TEMP (°F) | AVG MIN TEMP (°F) | RECORD HIGH (°F) | RECORD LOW (°F) |
|---------------------------------|-------------------|-------------------|------------------|-----------------|
| NEW YEAR'S EVE,<br>December 31  | 52                | 28                | 81 (1951)        | 6 (1968)        |
| VALENTINE'S DAY,<br>February 14 | 59                | 27                | 82 (1932)        | -3 (1933)       |
| INDEPENDENCE<br>DAY, July 4     | 96                | 69                | 111 (1980)       | 59 (1922)       |
| HALLOWEEN,<br>October 31        | 70                | 44                | 88 (1944)        | 17 (1993)       |
| CHRISTMAS,<br>December 25       | 51                | 26                | 75 (1950)        | 5 (1983)        |

### WIND

### Average wind speed: 11 mph

**Wind Roses:** Wind roses show the prevailing direction from which the wind is blowing. North is up in the image. The circles show the percentage of time from which the wind is blowing in that direction, as well as the percentage of time for different wind speed ranges. The wind speed ranges are represented by different shades of color. For example, Altus records a south wind about 10% of the time, with winds blowing between 10 and 15 mph about 3% (7%-4%=3%) of the time from that direction. The table below shows the percentage of time the wind is blowing from each of the 16-point compass headings, and the percent of time the prevailing wind is recorded in each speed bin.



LIMATOLOGIC

SURVEY

AI

Oklahoma Climatological Survey: climate.ok.gov Oklahoma Mesonet: mesonet.org 120 David L. Boren Blvd., Suite 2900 Norman, OK 73072 phone: 405.325.2541 fax: 405.325.7282

Oklahoma's Weather Network